



EFFECTIVE: January 1, 2006 - December 31, 2006

Phone 1-888-326-7890
FAX 1-888-324-3780
Email: Sales@securallproducts.com
securallproducts.com

Manufactured by:
A & A SHEET METAL PRODUCTS, INC.
5122 N. State Road 39
P.O. Box 1848
LaPorte, IN 46352-1848

Office hours 8:30am-5:00pm Central Time
Net 30 days for approved accounts
Minimum Order \$10.00
Specifications and Prices Subject to Change Without Notice
All prices F.O.B.-Origin Subject to addition of applicable
Federal, State and local taxes.

CABINETS FOR STORING FLAMMABLES IN SAFETY CANS/CONTAINERS

Model No.	Test Lab Approv.	Description	No. of Shelves	Approx. Ext. Dimensions (H x W x D)	Approx. Shp. Wt.	Shipping Class
A102	*~	4 Gal. Self-Latch Standard Door	1	22 x 17 x 17	75 lbs.	100
A302	*~	4 Gal. Self-Close, Self-Latch Safe-T-Door	1	24 x 17 x 17	82	100
A105	FM*~	12 Gal. Self-Latch Standard Door	1	35 x 24 x 18	138	100
A305	FM*~	12 Gal. Self-Close, Self-Latch Safe-T-Door	1	37 x 24 x 18	148	100
A110	FM*~	16 Gal. Self-Latch Standard Door	1	44 x 24 x 18	164	100
A310	FM*~	16 Gal. Self-Close, Self-Latch Safe-T-Door	1	46 x 24 x 18	174	100
A130	FM*~	30 Gal. Self-Latch Standard 2-Door	1	44 x 43 x 18	247	100
A230	FM*~	30 Gal. Self-Close, Self-Latch Sliding Door	1	44 x 43 x 18	252	100
A330	FM*~	30 Gal. Self-Close, Self-Latch Safe-T-Door	1	46 x 43 x 18	267	100
A131	FM*~	30 Gal. Self-Latch Standard 2-Door	1	35 x 36 x 24	220	100
A231	*~	30 Gal. Self-Close, Self-Latch Sliding Door	1	35 x 36 x 24	223	100
A331	FM*~	30 Gal. Self-Close, Self-Latch Safe-T-Door	1	37 x 36 x 24	235	100
A145	FM*~	45 Gal. Self-Latch Standard 2-Door	2	65 x 43 x 18	337	100
A245	FM*~	45 Gal. Self-Close, Self-Latch Sliding Door	2	65 x 43 x 18	342	100
A345	FM*~	45 Gal. Self-Close, Self-Latch Safe-T-Door	2	67 x 43 x 18	357	100
A160	FM*~	60 Gal. Self-Latch Standard 2-Door	2	65 x 31 x 31	372	100
A260	*~	60 Gal. Self-Close, Self-Latch Sliding Door	2	65 x 31 x 31	377	100
A360	FM*~	60 Gal. Self-Close, Self-Latch Safe-T-Door	2	67 x 31 x 31	394	100
A190	FM*~	90 Gal. Self-Latch Standard 2-Door	2	65 x 43 x 31	443	100
A290	*~	90 Gal. Self-Close, Self-Latch Sliding Door	2	65 x 43 x 31	448	100
A390	FM*~	90 Gal. Self-Close, Self-Latch Safe-T-Door	2	67 x 43 x 31	473	100

CABINETS FOR STORING FLAMMABLE PAINTS/INKS

Model No.	Test Lab Approv.	Description	No. of Shelves	Approx. Ext. Dimensions (H x W x D)	Approx. Shp. Wt.	Shipping Class
P120	FM*~	20 Gal. Self-Latch Standard 2-Door	2	44 x 24 x 18	169 lbs.	100
P320	FM*~	20 Gal. Self-Close, Self-Latch Safe-T-Door	2	46 x 24 x 18	179	100
P140	FM*~	40 Gal. Self-Latch Standard 2-Door	3	44 x 43 x 18	271	100
P240	FM*~	40 Gal. Self-Close, Self-Latch Sliding Door	3	44 x 43 x 18	276	100
P340	FM*~	40 Gal. Self-Close, Self-Latch Safe-T-Door	3	46 x 43 x 18	291	100
P160	FM*~	60 Gal. Self-Latch Standard 2-Door	5	65 x 43 x 18	373	100
P260	FM*~	60 Gal. Self-Close, Self-Latch Sliding Door	5	65 x 43 x 18	378	100
P360	FM*~	60 Gal. Self-Close, Self-Latch Safe-T-Door	5	67 x 43 x 18	393	100
P1120	FM*~	120 Gal. Self-Latch Standard 2-Door	5	65 x 31 x 31	414	100
P2120	*~	120 Gal. Self-Close, Self-Latch Sliding Door	5	65 x 31 x 31	419	100
P3120	FM*~	120 Gal. Self-Close, Self-Latch Safe-T-Door	5	67 x 31 x 31	436	100

CABINETS FOR STORING FLAMMABLES IN DRUMS@

H160	FM*~	60 Gal. Hor. Self-Latch Standard 2-Door		50 X 34 X 50	384 lbs.	100
H260	*~	60 Gal. Hor. Self-Close, Self-Latch Sliding Door		50 X 34 X 50	389	100
H360	FM*~	60 Gal. Hor. Self-Close, Self-Latch Safe-T-Door		52 X 34 X 50	414	100
V160	FM*~	65 Gal. Ver. Self-Latch Standard 2-Door	1	65 X 31 X 31	382	100
V260	*~	65 Gal. Ver. Self-Close, Self-Latch Sliding Door	1	65 X 31 X 31	387	100
V360	FM*~	65 Gal. Ver. Self-Close, Self-Latch Safe-T-Door	1	67 X 31 X 31	404	100
<i>All V models come with Roller Bottoms</i>						
V175	FM*~	75 Gal. Ver. Self-Latch Standard 2-Door	1	65 X 43 X 31	419	100
V275	*~	75 Gal. Ver. Self-Close, Self-Latch Sliding Door	1	65 X 43 X 31	424	100
V375	FM*~	75 Gal. Ver. Self-Close, Self-Latch Safe-T-Door	1	67 X 43 X 31	448	100
<i>All V models come with Roller Bottoms</i>						
V1110	FM*~	120 Gal. Ver. Self-Latch Standard 2-Door	1	65 X 56 X 31	581	100
V3110	FM*~	120 Gal. Ver. Self-Close, Self-Latch Safe-T-Door	1	67 X 56 X 31	610	100
<i>All V models come with Roller Bottoms</i>						
V1500	FM*~	115 Gal. Ver. Self-Latch Standard 2-Door	2	65 X 56 X 31	600	100
<i>All V models come with Roller Bottoms</i>						

CABINETS FOR STORING HAZARDOUS WASTE IN DRUMS

Model No.	Test Lab Approv.	Description	No. of Shelves	Approx. Ext. Dimensions (H x W x D)	Approx. Shp. Wt.	Shipping Class
W1040	FM*~	60 Gal. Self-Latch Standard 2-Door	1	65 x 31 x 31	382 lbs.	100
W2040	*~	60 Gal. Self-Close, Self-Latch Sliding Door	1	65 x 31 x 31	387	100
W3040	FM*~	60 Gal. Self-Close, Self-Latch Safe-T-Door	1	67 x 31 x 31	404	100
W1075	FM*~	75 Gal. Self-Latch Standard 2-Door	1	65 x 43 x 31	419	100
W2075	*~	75 Gal. Self-Close, Self-Latch Sliding Door	1	65 x 43 x 31	424	100
W1080	FM*~	120 Gal. Self-Latch Standard 2-Door	1	65 x 56 x 31	581	100
W3080	FM*~	120 Gal. Self-Close, Self-Latch Safe-T-Door	1	67 x 56 x 31	610	100

Cabinets come with Roller Bottoms

CABINETS FOR STORAGE OF CORROSIVES/FLAMMABLES/ACIDS

C124	FM*~	24 Gal. Self-Latch Standard 2-Door	1	36 x 35 x 22	207 lbs.	100
C224	*~	24 Gal. Self-Close, Self-Latch Sliding Door	1	36 x 35 x 22	212	100
C130	FM*~	30 Gal. Self-Latch Standard 2-Door	1	44 x 43 x 18	270	100
C230	*~	30 Gal. Self-Close, Self-Latch Sliding Door	1	44 x 43 x 18	275	100
C330	FM*~	30 Gal. Self-Close, Self-Latch Safe-T-Door	1	46 x 43 x 18	290	100
C145	FM*~	45 Gal. Self-Latch Standard 2-Door	2	65 x 43 x 18	363	100
C245	*~	45 Gal. Self-Close, Self-Latch Sliding Door	2	65 x 43 x 18	368	100
C345	FM*~	45 Gal. Self-Close, Self-Latch Safe-T-Door	2	67 x 43 x 18	383	100
C160	FM*~	60 Gal. Self-Latch Standard 2-Door	2	65 x 31 x 31	396	100
C260	*~	60 Gal. Self-Close, Self-Latch Sliding Door	2	65 x 31 x 31	401	100
C360	FM*~	60 Gal. Self-Close, Self-Latch Safe-T-Door	2	67 x 31 x 31	418	100
PE3045		Polyethylene Cabinet for Harsh Acids/Corrosives	-	18 x 38 x 13	32	70 via UPS

CABINETS FOR STORING LP AND OXYGEN GAS CYLINDERS

Model No.	Test Lab Approv.	Description	No. of Shelves	Approx. Ext. Dimensions (H x W x D)	Approx. Shp. Wt.	Shipping Class
LP2	*	2 Cyl. Vertical Standard Door		28 x 31 x 16	64 lbs.	100
LP4	*	4 Cyl. Horizontal Standard Door		33 x 30 x 32	76	100
LP6	*	6 Cyl. Horizontal Standard Door		33 x 43 x 32	87	100
LP8	*	8 Cyl. Horizontal Standard Door		65 x 30 x 32	117	100
LP12	*	12 Cyl. Horizontal Standard 2-Door		65 x 43 x 32	126	100
LP16	*	16 Cyl. Horizontal Standard 2-Door		65 x 60 x 32	204	100
OG10	*	5-10 Cyl. Vertical Standard Door		65 x 30 x 32	130	100
OG20	*	10-20 Cyl. Vertical Standard 2-Door		65 x 60 x 32	177	100

All Welded, Heavy Duty Aluminum Construction

NEW! OUTDOOR CABINETS FOR STORING FLAMMABLES IN SAFETY CANS/CONTAINERS

A130WP1	FM*~	30 Gal. Self-Latch Standard 2-Door	1	48 x 43 x 18	282	100
A330WP1	FM*~	30 Gal. Self-Close, Self-Latch Safe-T-Door	1	50 x 43 x 18	302	100
A145WP1	FM*~	45 Gal. Self-Latch Standard 2-Door	2	69 x 43 x 18	372	100
A345WP1	FM*~	45 Gal. Self-Close, Self-Latch Safe-T-Door	2	71 x 43 x 18	392	100
A160WP1	FM*~	60 Gal. Self-Latch Standard 2-Door	2	69 x 31 x 31	423	100
A360WP1	FM*~	60 Gal. Self-Close, Self-Latch Safe-T-Door	2	71 x 31 x 31	445	100
A190WP1	FM*~	90 Gal. Self-Latch Standard 2-Door	2	69 x 43 x 31	503	100
A390WP1	FM*~	90 Gal. Self-Close, Self-Latch Safe-T-Door	2	71 x 43 x 31	532	100

LABORATORY CABINETS FOR STORING FLAMMABLES

L124	FM*~	24 Gal. Self-Latch Standard 2-Door	1	35 9/16 x 35 x 22	199 lbs.	100
L224	*~	24 Gal. Self-Close, Self-Latch Sliding Door	1	35 5/8 x 35 x 22	204	100
L136	FM*~	36 Gal. Self-Latch Standard 2-Door	1	35 9/16 x 47 x 22	252	100
L236	*~	36 Gal. Self-Close, Self-Latch Sliding Door	1	35 5/8 x 47 x 22	257	100
L144	FM*~	44 Gal. Self-Latch Standard, 4-Door	1	35 9/16 x 59 x 22	284	100
L244	*~	44 Gal. Self-Close, Self-Latch Sliding Door	1	35 5/8 x 59 x 22	289	100

NEW! STAINLESS STEEL CABINETS FOR STORING FLAMMABLES

Model No.	Test Lab Approv.	Description	No. of Shelves	Approx. Ext. Dimensions (H x W x D)	Approx. Shp. Wt.	Shipping Class
A105-SS	FM*~	12 Gal. Self-Latch Standard Door	1	35 x 24 x 18	185	100
A305-SS	FM*~	12 Gal. Self-Close, Self-Latch Safe-T-Door	1	37 x 24 x 18	195	100
A110-SS	FM*~	16 Gal. Self-Latch Standard Door	1	44 x 24 x 18	217	100
A310-SS	FM*~	16 Gal. Self-Close, Self-Latch Safe-T-Door	1	46 x 24 x 18	227	100
A130-SS	FM*~	30 Gal. Self-Latch Standard 2-Door	1	44 x 43 x 18	325	100
A330-SS	FM*~	30 Gal. Self-Close, Self-Latch Safe-T-Door	1	46 x 43 x 18	345	100
A131-SS	FM*~	30 Gal. Self-Latch Standard 2-Door	1	35 x 36 x 24	291	100
A331-SS	FM*~	30 Gal. Self-Close, Self-Latch Safe-T-Door	1	37 x 36 x 24	306	100
A145-SS	FM*~	45 Gal. Self-Latch Standard 2-Door	2	65 x 43 x 18	445	100
A345-SS	FM*~	45 Gal. Self-Close, Self-Latch Safe-T-Door	2	67 x 43 x 18	465	100
A160-SS	FM*~	60 Gal. Self-Latch Standard 2-Door	2	65 x 31 x 31	533	100
A360-SS	FM*~	60 Gal. Self-Close, Self-Latch Safe-T-Door	2	67 x 31 x 31	555	100

Cabinet cost DOES NOT include crating

CABINETS FOR STORING HAZARDOUS WASTE IN CANS

W1045	FM*~	45 Gal. Self-Latch Standard 2-Door	2	65 x 43 x 18	337	100
W2045	*~	45 Gal. Self-Close, Self-Latch Sliding Door	2	65 x 43 x 18	342	100
W3045	FM*~	45 Gal. Self-Close, Self-Latch Safe-T-Door	2	67 x 43 x 18	357	100
W1060	FM*~	60 Gal. Self-Latch Standard 2-Door	2	65 x 31 x 31	372	100
W3060	FM*~	60 Gal. Self-Close, Self-Latch Safe-T-Door	2	67 x 31 x 31	394	100

CABINETS FOR STORING PESTICIDES

Model No.	Test Lab Approv.	Description	No. of Shelves	Approx. Ext. Dimensions (H x W x D)	Approx. Shp. Wt.	Shipping Class
AG105	*~	12 Gal. Self-Latch Standard Door	1	35 x 24 x 18	138 lbs.	100
AG305	*~	12 Gal. Self-Close, Self-Latch Safe-T-Door	1	37 x 24 x 18	154	100
AG130	*~	30 Gal. Self-Latch Standard 2-Door	1	44 x 43 x 18	247	100
AG330	*~	30 Gal. Self-Close, Self-Latch Safe-T-Door	1	46 x 43 x 18	267	100
AG145	*~	45 Gal. Self-Latch Standard 2-Door	2	65 x 43 x 18	337	100
AG345	*~	45 Gal. Self-Close, Self-Latch Safe-T-Door	2	67 x 43 x 18	357	100
AGV160	*~	60 Gal. Self-Latch Standard 2-Door	1	65 x 31 x 31	412	100
AGV360	*~	60 Gal. Self-Close, Self-Latch Safe-T-Door	1	67 x 31 x 31	434	100
AGV1110	*~	120 Gal. Self-Latch Standard 2-Door	1	65 x 56 x 31	618	100
AGV3110	*~	120 Gal. Self-Close, Self-Latch Safe-T-Door	1	67 x 56 x 31	610	100

WALL-MOUNTED CABINETS FOR STORAGE OF FLAMMABLES

WMA112	FM*~	12 Gal. Self-Latch Standard 2-Door	1	18 x 43 x 18	163 lbs.	100
WMA312	FM*~	12 Gal. Self-Close, Self-Latch Safe-T-Door	1	20 x 43 x 18	183	100
WMA118	FM*~	18 Gal. Self-Latch Standard 2-Door	1	24 x 43 x 18	190	100
WMA318	FM*~	18 Gal. Self-Close, Self-Latch Safe-T-Door	1	26 x 43 x 18	210	100
WMA124	FM*~	24 Gal. Self-Latch Standard 2-Door	5	44 x 43 x 12	227	100
WMA324	FM*~	24 Gal. Self-Close, Self-Latch Safe-T-Door	5	46 x 43 x 12	235	100

CABINETS FOR STORING TOOLING AND DIES

TC130	*~	Self-Latch Standard 2-Door	2	44 x 43 x 18	258 lbs.	100
TC145	*~	Self-Latch Standard 2-Door	3	65 x 43 x 18	351	100

MOBILE WORK BENCH & SHOP CART

WB10		Mobile Work Bench		57½ x 73 x 33	504 lbs.	100
WB20		Mobile Work Bench w/Flammable Storage Cabinet		57½ x 73 x 33	625	100
WC10		Mobile Shop Cart		36 x 35½ x 20	98	100

GENERAL STORAGE DOUBLE WALL CABINETS OF HEAVY GAUGE MATERIAL AND HIGH SECURITY LOCKS, HELP TO PREVENT UNAUTHORIZED USE.

Model No.	Test Lab Approv.	Description	No. of Shelves	Approx. Ext. Dimensions (H x W x D)	Approx. Shp. Wt.	Shipping Class
H007	*~	For storage of valuable chemicals, dangerous flammables.	4	65 x 34 x 18	303 lbs.	100
S5001	*~	Storage of office valuables & shop instruments. Carpet lined shelves.	4	65 x 34 x 18	303	100
G1201	*~	12 Gun Capacity Cabinet	4	65 x 34 x 18	325	100
G2401	*~	24 Gun Capacity Cabinet	1	65 x 34 x 18	325	
FI		Fire Protection Upgrade for High Security Cabinets				

SPILL CONTAINMENT CABINETS

SCC132	*~	Wall Mount Cabinet / Self-Latch Standard 2-Door	2	32 x 26 x 12	66 lbs.	100
SCC242	*~	Counter High Mobile Cabinet / Self-Latch Standard 2-Door	2	42 x 36 x 24	200	100
SCC172	*~	Full Size Stationary Cabinet / Self-Latch Standard 2-Door	4	72 x 36 x 18	264	100
SCC272	*~	Full Size Stationary Cabinet / Self-Latch Standard 2-Door	4	72 x 36 x 24	353	100

DRUM SPILLSTATIONS

Model No.	Description	Load Capacity	(H x W x D)	Shp. Wt.	
DSS02	Two Drum Unit	2500 lbs.	9¼ x 27¼ x 56	289 lbs.	100
DSS04	Four Drum Unit	5000 lbs.	9¼ x 51¼ x 56	430 lbs.	100
DSS06	Six Drum Unit	6600 lbs.	9¼ x 75¼ x 56	516 lbs.	100
DSS09	Nine Drum Unit	9900 lbs.	9¼ x 75¼ x 80	809 lbs.	100
DSS12	Twelve Drum Unit	11520 lbs.	9¼ x 75¼ x 103	1007 lbs.	100
DSSR60	Ramp		9¼ x 24 x 72	113 lbs.	100

HEAVY DUTY STORAGE CABINETS

SS142	*~	Self-Latch Standard 2-Door	2	42 x 36 x 18	151 lbs.	100
SS172	*~	Self-Latch Standard 2-Door	4	72 x 36 x 18	264	100
SS184	*~	Self-Latch Standard 2-Door	4	84 x 36 x 18	300	100
SS242	*~	Self-Latch Standard 2-Door	2	42 x 36 x 24	200	100
SS272	*~	Self-Latch Standard 2-Door	4	72 x 36 x 24	353	100
SS284	*~	Self-Latch Standard 2-Door	4	84 x 36 x 24	401	100
SW242	*~	Self-Latch Standard 2-Door / Counter High Mobile	2	47 x 36 x 24	200	100
SS-1		Extra Locking Shelf for 18" deep cabinet			13	100
SS-2		Extra Locking Shelf for 24" deep cabinet			17	100

CABINET ACCESSORIES

Model No.	Test Lab Approv.	Description	No. of Shelves	Approx. Shp. Wt.	Shipping Class
S1		Extra Shelf (for cabinets 24" wide)		5 lbs.	70
S2		Extra Shelf (for cabinets 43" wide) Except for 90 Gal.		12	70
S3		Extra Shelf (for cabinets 31" wide)		17	70
S4		Extra Shelf (for 90 Gal. cabinets)		21	70
S5		Extra Shelf (for cabinets 56" wide) Except for Lab Cabinets		16	70
S9		Extra Shelf (for cabinets 31" wide) with Roller Bottom		7	70
S15		Extra Shelf (for 30 Gal. cabinets 36" wide)		13	70
S17		Extra Shelf (for 4 Gal. cabinets 17" wide)		3	70
C1		Extra Shelf (for cabinets 35" wide) Corrosive Resistant		7	70
C2		Extra Shelf (for cabinets 43" wide) Corrosive Resistant		7	70
C3		Extra Shelf (for cabinets 31" wide) Corrosive Resistant		9	70
LS5		Extra Shelf (for Lab Cabinets 35" wide)		12	70
LS10		Extra Shelf (for Lab Cabinets 47" wide)		16	70
LS15		Extra Shelf (for Lab Cabinets 56" wide)		22	70
WMS5		Extra Shelf (for Wall Mounted Cabinet WMA124)		8	70
H7		Extra Shelf for High Security Cabinet		9	70
WP1		Outdoor Weatherproof Package (Factory Installed)		35	-
P1		Extra Poly Tray (for cabinets 35" wide) Corrosive Resistant		4	70
P2		Extra Poly Tray (for cabinets 43" wide) Corrosive Resistant		3	70
P3		Extra Poly Tray (for cabinets 31" wide) Corrosive Resistant		3	70
EXM200		Explosion Proof Exhasut Blower & Motor 1/3 H.P.		50	70
FGH200		Galvanized flexible Hose Assembly for Exhaust Blower		21	70
DC6		Drum Cradle (for Horizontal Drum Cabinet)		50	-
IGW1		Insulating Grounding Wire only		1	70
IGW3		Insulating Grounding Wire with one clip		1	70
IGW5		Insulating Grounding Wire with two clips		1	70

IGW7	Insulating Grounding Wire with C clamp and clip	1	70
BAW2	Flexible Bonding Wire only	1	70
BAW4	Flexible Bonding Wire with one clip	1	70
BAW6	Flexible Bonding Wire with two clips	1	70
BAW8	Flexible Bonding Wire with clamp and clip	1	70
CA18	Caster Assembly for Cabinets 18" in Depth (Factory Installed)	30	70
CA31	Caster Assembly for Cabinets 31" in Depth	35	70
BR24	Drum Cabinet Ramp	30	70

SAFETY CLEANING TANKS

R8	FM	Self-Closing Rinse Tank 8 Gal.	33 x 27 x 20	60 lbs.	250
R20	FM	Self-Closing Rinse Tank 20 Gal.	33 x 37 x 21	75	250
R24	FM	Self-Closing Rinse Tank 24 Gal.	33 x 49 x 21	103	250
R36	FM	Self-Closing Rinse Tank 36 Gal.	33 x 73 x 21	120	250
L7	FM	Dip Tank with Fusible Link Lid 7 Gal.	15 x 15 x 15	15	-
L11	FM	Dip Tank with Fusible Link Lid 11 Gal.	17 x 17 x 17	20	-

TANK ACCESSORIES

B8		Parts Basket for Rinse Tank (R8)	5 x 16 x 10½	4 lbs.	70
B20		Parts Basket for Rinse Tank (R20)	7 x 22 x 10½	6	70
B24		Parts Basket for Rinse Tank (R24)	5 x 16 x 10½	8	70
B36		Parts Basket for Rinse Tank (R36)	7 x 22 x 10½	12	70
X8		Sediment Screen for Rinse Tank (R8)	¾ x 23½ x 9	2	70
X20		Sediment Screen for Rinse Tank (R20)	¾ x 33½ x 11	4	70
X24		Sediment Screen for Rinse Tank (R24)	¾ x 47 x 15	4	70
X36		Sediment Screen for Rinse Tank (R36)	¾ x 70 x 15	8	70
B7		Parts Basket for Dip Tank (L7)	7 x 9 x 11½	4	70
B11		Drain Basket for Dip Tank (L11)	8 x 11 x 14	5	70
TS2		Tank Stand for Dip & Wash Tanks	26 x 18 x 16	23	70

*Complies with OSHA regulations. ~All cabinets designed in accordance with specifications set forth by the National Fire Protection Association. @For indoor use only.
 FM Factory Mutual Tested and Approved